10

15 is:

20

30

What is claimed is:

- 1. An element for forming a print-out image comprising:
  - (a) a substrate comprising cellulose having a first surface and a second surface:
  - a dye forming composition on the first surface of the substrate; and
  - a non-dye forming composition on the second surface of the substrate comprising at least one hydrogen donor compound.
- The element of Claim 1 wherein the hydrogen donor compound is an organic compound containing an amine group, a hydroxy group, a phosphine group, a phosphoramide group, or a β-dialkylaminocarbonyl moiety.
  - 3. The element of Claim 2 wherein the hydrogen donor compound
- an aliphatic amine compound having the structural formula:

$$(RCH_2)_n(R'CH_2)_mN(Q)_{n-n-m}$$

wherein p = 3, n and m are 0, 1 or 2, Q is  $CH_2CH_2O_2CR$ " or  $CH_2CH_2COR$ " and

- R, R' and R" are the same or different hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms: and
- 25 (ii) a heterocyclic compound having the structural formula:

$$\begin{array}{c}
R_{11} \\
R_{10}
\end{array}$$

$$\begin{array}{c}
X \\
R_{13}
\end{array}$$

$$\begin{array}{c}
C = O
\end{array}$$

wherein X is an oxygen atom, CH<sub>2</sub> group, or a bridge to make a 5membered cyclic amine,

15

20

25

30

35

 $R_{10},\,R_{11},\,R_{12},\,\text{and}\,\,R_{13}$  are the same or different, hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms, and

- R<sub>14</sub> is a hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms.
  - 4. The element of Claim 2 wherein the hydrogen donor compound is triethanol amine triacetate, triethanolamine triproprionate, triethanolamine tributyrate, triethanolamine trivalerate, N,Ndibenzylethanolamine acetate, N,N-dibenzylethanolamine propionate, N,N-dibenzylethanolamine butyrate or N-benzyl(diethanolamine diacetate).
  - 5. The element of Claim 2 wherein the hydrogen donor compound is 4-(2-hydroxyethyl)-morpholine acetate, 4-(2-hydroxyethyl)-morpholine propionate, 1-piperidineethanol acetate or 1-pyrrolidineethanol acetate.
  - 6. The element of Claim 2 wherein hydrogen donor compound is triethanolamine triacetate.
  - 7. The element of Claim 2 wherein the hydrogen donor compound is N,N-dibenzylethanolamine acetate.
  - 8. The element of Claim 2 wherein the hydrogen donor compound is 4-(2-hydroxyethyl)-morpholine acetate.
  - The element of Claim 3 wherein the tertiary amine compound is present in the amount of about 2 to about 20% by weight, based on the weight of the total composition.
    - 10. The element of Claim 1 wherein the dye forming composition comprises at least one hydrogen donor compound.
  - 11. The element of Claim 10 wherein the hydrogen donor compound is an organic compound containing an amine group, a hydroxy group, a phosphine group, a phosphoramide group, or a β-dialkylaminocarbonyl moiety.
  - 12. The element of Claim 11 wherein the hydrogen donor compound is:
    - (i) an aliphatic amine compound having the structural formula:

 $(RCH_2)_n(R'CH_2)_mN(Q)_{p-n-m}$  wherein p = 3, n and m are 0, 1 or 2, Q is  $CH_2CH_2CH_2CR''$  or  $CH_2CH_2COR''$  and

10

15

20

25

30

R, R' and R" are the same or different hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms; and

(ii) a heterocyclic compound having the structural formula:

$$\begin{array}{c}
R_{11} \\
R_{10}
\end{array}$$

$$\begin{array}{c}
X \\
R_{13}
\end{array}$$

$$\begin{array}{c}
C = O
\end{array}$$

wherein X is an oxygen atom,  ${\rm CH_2}$  group, or a bridge to make a 5-membered cyclic amine.

 $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  are the same or different hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms. and

 $R_{14}$  is a hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms.

- 13. The element of Claim 12 wherein the hydrogen donor compound is triethanol amine triacetate, triethanolamine triproprionate, triethanolamine tributyrate, triethanolamine trivalerate, N,N-dibenzylethanolamine acetate, N,N-dibenzylethanolamine propionate, N,N-dibenzylethanolamine butyrate or N-benzyl(diethanolamine diacetate).
- 14. The element of Claim 11 wherein the hydrogen donor compound is 4-(2-hydroxyethyl)-morpholine acetate, 4-(2-hydroxyethyl)morpholine propionate, 1-piperidineethanol acetate or 1-pyrrolidineethanol acetate.
  - 15. The element of Claim 11 wherein the hydrogen donor compound is triethanolamine triacetate.
- The element of Claim 11 wherein the hydrogen donor compound is N,N-dibenzylethanolamine acetate.

10

15

20

25

30

35

- 17. The element of Claim 11 wherein the hydrogen donor compound is 4-(2-hydroxyethyl)-morpholine acetate.
- 18. The element of Claim 12 wherein the tertiary amine compound in the dye forming composition is present in the amount of 2 to 20 % by weight, based on the weight of the total composition.
  - 19. The element of Claim 2 wherein the dye forming composition comprises:
    - a film forming polymeric binder,
    - (2) a photooxidant,
    - (3) a leuco dye,
    - (4) up to 10 % by weight, based on the weight of the total composition, of an acid, and
    - (5) a mixture comprising (a) at least one photoreducible quinone, and (b) at least one hydrogen donor compound.
- 20. The element of Claim 19 wherein the polymeric binder is a cellulose acetate ester.
- 21. The element of Claim 19 wherein the polymeric binder is poly(vinyl butyral).
- 22. The element of Claim 19 wherein the leuco dye is an aminotriarylmethane, aminoxanthene, aminothioxanthene, amino-9,10-dihydroacridine, aminophenoxazine, aminophenothiazine, aminodihydrophenazine, aminodiphenyl methane, leuco indamine, aminohydrocinnamic acid (cyanoethane, leuco methine) and corresponding ester, hydrazine, leuco indigoid dye, amino 2,3-dihydroanthraquinone, tetrahalo-p,p'-biphenol, 2(p-hydroxyphenyl)-4,5-diphenylimidazole, indanone, phenethylaniline, or combination thereof.
- 23. The element of Claim 22 wherein the leuco dye is 4,4',4"-methylidynetris[N,N-diethyl-3-methyl-benzenamine].
- 24. The element of Claim 19 wherein the photooxidant is 2,4,5,2',4',5'-hexaaryl-biimidazole dimer.
- 25. The element of Claim 24 wherein the 2,4,5,2',4',5'-hexaaryl-bilmidazole compound is TCDM-HABI.
- The element of Claim 19 wherein the acid is dodecylbenzene sulfonic acid, p-toluene sulfonic acid, lower alkyl toluene sulfonic acid or higher alkyl toluene sulfonic acid.
- 27. The element of Claim 19 wherein the acid is dodecylbenzene sulfonic acid

- The element of Claim 19 wherein the photoreducible quinone is 1,6-pyrenequinone, 1,8-pyrenequinone, 9,10-phenanthrenequinone or mixtures thereof.
- 29. An element for forming a print-out image in which a substrate of the element has, on a first surface thereof, a dye forming composition comprising a hydrogen donor compound and the substrate has, on a second surface thereof, a non-dye forming composition comprising a hydrogen donor compound.
- 30. The element of Claim 29 wherein the hydrogen donor compound is:
  - (i) an aliphatic amine compound having the structural formula:

 $(RCH_2)_n(R'CH_2)_mN(Q)_{p-n-m}$ 

wherein p = 3, n and m are 0, 1 or 2, Q is  $CH_2CH_2O_2CR$ " or

15 CH2CH2COR" and

5

20

R, R' and R" are the same or different hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms; and

(ii) a heterocyclic compound having the structural formula:

$$R_{11}$$
 $X$ 
 $R_{12}$ 
 $R_{10}$ 
 $X$ 
 $R_{13}$ 
 $R_{13}$ 
 $C=O$ 

wherein X is an oxygen atom, CH<sub>2</sub> group, or a bridge to make a 5-25 membered cyclic amine,

 $R_{10}$ ,  $R_{11}$ ,  $R_{12}$ , and  $R_{13}$  are the same or different hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms, and

30

 $$R_{14}$$  is a hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms.

31. The element of Claim 29 in which the substrate comprises 5 cellulose.

- 32. A process for forming a print-out image comprising:
- (a) providing a substrate comprising cellulose having a first surface and a second surface;
- (b) applying a dye forming composition to the first surface of 10 the substrate; and
  - (c) applying a non- dye forming composition to the second surface of the substrate, wherein the non-dye forming comprises at least one hydrogen donor compound.
- 33. The process of Claim 32 wherein the hydrogen donor compound is:
  - (i) an aliphatic amine compound having the structural formula:

$$(RCH_2)_n(R'CH_2)_mN(Q)_{p-n-m}$$
 wherein p = 3, n and m are 0, 1 or 2, Q is  $CH_2CH_2O_2CR$ " or  $CH_2CH_2COR$ " and

R, R' and R" are the same or different hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms; and

25 (ii) a heterocyclic compound having the structural formula:

wherein X is an oxygen atom, CH<sub>2</sub> group, or a bridge to make a 5membered cyclic amine,

10

 $R_{10},\,R_{11},\,R_{12},\,$  and  $R_{13}$  are the same or different hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms, and

- $R_{14}$  is a hydrogen atom, or alkyl group of 1 to 12 carbon atoms, or aryl group of 6 to 10 carbon atoms, or alkylaryl group of 7-20 carbon atoms, or alkoxyalkyl group of 1 to 12 carbon atoms.
- 34. The process of Claim 32 wherein the dye forming composition comprises a hydrogen donor compound.